INDEX*
RUBBER CHEMISTRY AND TECHNOLOGY
VOLUME 67, 1994
AUTHOR INDEX†

Aimura, Y., Recchio, M., Konno, T., Hayashi, S., and Jones M., Development of new HNBR elastomers for use with refrigerant R-134a (abs-F93#63) (1) 182
Allen, J. Scott, see Thompson, Corley M., (1) 107
Allen, P. W., Natural rubber: The global scene (abs-F93#103) (1) 191
Alsamarraie, M. A., Marcelli, A. M., Parker, D. K., Horvath, J. W., and Colvin, H. A., Compatibilized polymeric systems (abs-F93#165) (1) 206
Anis, M., see Khamrai, A. K., (abs-F93#123) (1) 196
Annicelli, R. A., see Gardner, Irwin J., (abs-F93#86) (1) 186
Aramburi, Diego, The new Latin American debt (abs-F93#45) (1) 178
Aranguren, Mirta I., Mora, Elsi, Macosko, Christopher W., and Saam, John, Rheological and mechanical properties of filled rubber: silica-silicone (5) 820
Arote, B. R., see Fegade, N. B., (abs-F93#144) (1) 202
Arsenault, Gilles J., Brown, Trevor A., and Jobe, Ian R., An approach to modern polymer development: Enhancement of the service temperature range for hydrogenated nitrile–butadiene rubber (HNBR) (abs-S94#7) (4) 730
Axtell, F. H., see Phinyocheep, P., (abs-F93#40) (1) 0171
Ayala, J. A., see Roychoudhury, A., (4) 662

Banerji, M. S., Krishnan, K. R., Saburaj, K. R., Millns, W., and Harindranath, C. S., Improvements of compatibility of silicon rubber with HNBR—An attempt to improve physical properties, temperature resistance and oil resistance together (abs-F93#145) (1) 202
Barriquand, L., see Cochet, Ph., (abs-F93#162) (1) 205
Barruel, P., see Cochet, Ph., (abs-F93#162) (1) 205
Bart, Joe and Brown, Gene, Concentric extrusion over a rubber core (abs-F93#28) (1) 175
Basu, Dipak Kumar, see Mandal, Swapan Kumar, (4) 672
Bauman, Bernard D., High-value engineering materials from scrap rubber (abs-S94#25) (4) 733
Beatty, Charles L., see Breese, Kevin (abs-F93#25) (1) 175
Beatty, Charles L., see Bennett, David, (abs-F93#36) (1) 177, (abs-F93#87) (1) 187
Beatty, Charles L., see Zaman, A. A., (abs-F93#37) (1) 177, (abs-F93#43) (1) 178
Beatty, Charles L., see Joseph, Tom, (abs-F93#90) (1) 187, (abs-F93#101) (1) 190
Beatty, Charles L., see Li, Zhouping, (abs-F93#99) (1) 190
Bebensee, Irene, Plale, Larry, and Lammers, Henne, Successful transition to new model Mooney viscometer for fluoroelastomer quality control (abs-F93#34) (1) 176
Beck, Mike R., Pyrolysis carbon–an overview (abs-F93#4) (1) 170
Bennett, David, Beatty, Charles L., and Chehab, K. A., Curing kinetics of polyurethane via dynamic mechanical thermal analysis, FTIR and dielectric relaxation spectroscopy (abs-F93#36) (1) 177
Bennett, David, Beatty, Charles L., and Williams, W., The effect of glass reinforcement size on the mechanical properties of a glass reinforced ionic polyurethane (abs-F93#87) (1) 187
Bergoudian, Rubens, Brazil—The rubber industry in the 90s (abs-F93#47) (1) 179
Bhatia, Sushil S. and Colligan, Thomas F., Formulation management: From lab to plant—The weighing scale option for Chemix® (abs-F93#109) (1) 192
Bhowmick, Anil K., see Kole, Swapan, (1) 119
Bhowmick, Anil K., see Thavamani, P., (1) 129
Bissonnette, L. C., see Choi, I. S., (5) 892

* The first issue of Volume 67 contains abstracts of Fall 1993 Meeting Papers not published in full in Rubber Chemistry and Technology. The papers are cited in this index as (abs-F93#..) with the appropriate paper number inserted. The fourth issue of Volume 67 has abstracts from the Spring 1994 meeting. They are cited using a similar convention, *i.e.*, (abs-S94#..). Complete copies of these papers may be obtained from the Rubber Division Library, The University of Akron, Akron OH 44325-3907.

† Prepared by Lois W. Brock.

INDEX*
RUBBER CHEMISTRY AND TECHNOLOGY
VOLUME 67, 1994
AUTHOR INDEX†

Aimura, Y., Recchio, M., Konno, T., Hayashi, S., and Jones M., Development of new HNBR elastomers for use with refrigerant R-134a (abs-F93#63) (1) 182
Allen, J. Scott, see Thompson, Corley M., (1) 107
Allen, P. W., Natural rubber: The global scene (abs-F93#103) (1) 191
Alsamarraie, M. A., Marcelli, A. M., Parker, D. K., Horvath, J. W., and Colvin, H. A., Compatibilized polymeric systems (abs-F93#165) (1) 206
Anis, M., see Khamrai, A. K., (abs-F93#123) (1) 196
Annicelli, R. A., see Gardner, Irwin J., (abs-F93#86) (1) 186
Aramburi, Diego, The new Latin American debt (abs-F93#45) (1) 178
Aranguren, Mirta I., Mora, Elsi, Macosko, Christopher W., and Saam, John, Rheological and mechanical properties of filled rubber: silica-silicone (5) 820
Arote, B. R., see Fegade, N. B., (abs-F93#144) (1) 202
Arsenault, Gilles J., Brown, Trevor A., and Jobe, Ian R., An approach to modern polymer development: Enhancement of the service temperature range for hydrogenated nitrile–butadiene rubber (HNBR) (abs-S94#7) (4) 730
Axtell, F. H., see Phinyocheep, P., (abs-F93#40) (1) 0171
Ayala, J. A., see Roychoudhury, A., (4) 662

Banerji, M. S., Krishnan, K. R., Saburaj, K. R., Millns, W., and Harindranath, C. S., Improvements of compatibility of silicon rubber with HNBR—An attempt to improve physical properties, temperature resistance and oil resistance together (abs-F93#145) (1) 202
Barriquand, L., see Cochet, Ph., (abs-F93#162) (1) 205
Barruel, P., see Cochet, Ph., (abs-F93#162) (1) 205
Bart, Joe and Brown, Gene, Concentric extrusion over a rubber core (abs-F93#28) (1) 175
Basu, Dipak Kumar, see Mandal, Swapan Kumar, (4) 672
Bauman, Bernard D., High-value engineering materials from scrap rubber (abs-S94#25) (4) 733
Beatty, Charles L., see Breese, Kevin (abs-F93#25) (1) 175
Beatty, Charles L., see Bennett, David, (abs-F93#36) (1) 177, (abs-F93#87) (1) 187
Beatty, Charles L., see Zaman, A. A., (abs-F93#37) (1) 177, (abs-F93#43) (1) 178
Beatty, Charles L., see Joseph, Tom, (abs-F93#90) (1) 187, (abs-F93#101) (1) 190
Beatty, Charles L., see Li, Zhouping, (abs-F93#99) (1) 190
Bebensee, Irene, Plale, Larry, and Lammers, Henne, Successful transition to new model Mooney viscometer for fluoroelastomer quality control (abs-F93#34) (1) 176
Beck, Mike R., Pyrolysis carbon–an overview (abs-F93#4) (1) 170
Bennett, David, Beatty, Charles L., and Chehab, K. A., Curing kinetics of polyurethane via dynamic mechanical thermal analysis, FTIR and dielectric relaxation spectroscopy (abs-F93#36) (1) 177
Bennett, David, Beatty, Charles L., and Williams, W., The effect of glass reinforcement size on the mechanical properties of a glass reinforced ionic polyurethane (abs-F93#87) (1) 187
Bergoudian, Rubens, Brazil—The rubber industry in the 90s (abs-F93#47) (1) 179
Bhatia, Sushil S. and Colligan, Thomas F., Formulation management: From lab to plant—The weighing scale option for Chemix® (abs-F93#109) (1) 192
Bhowmick, Anil K., see Kole, Swapan, (1) 119
Bhowmick, Anil K., see Thavamani, P., (1) 129
Bissonnette, L. C., see Choi, I. S., (5) 892

* The first issue of Volume 67 contains abstracts of Fall 1993 Meeting Papers not published in full in Rubber Chemistry and Technology. The papers are cited in this index as (abs-F93#..) with the appropriate paper number inserted. The fourth issue of Volume 67 has abstracts from the Spring 1994 meeting. They are cited using a similar convention, *i.e.*, (abs-S94#..). Complete copies of these papers may be obtained from the Rubber Division Library, The University of Akron, Akron OH 44325-3907.

† Prepared by Lois W. Brock.

Blackwell, Julian T., see Grant, Brenton R., Jr., (abs-F93#137) (1) 200
Bodnar, Stephen C., see Sloan, James M., (abs-F93#31) (1) 176
Bohin, F., Manas-Zloczower, I., and Feke, D. L., Penetration of silicone polymers into silica agglomerates and its influence on dispersion mechanism (4) 602
Boisseau, Norman A., see Mazzeo, Russell A., (abs-S94#31) (4) 735
Bomal, Y., see Cochet, Ph., (abs-F93#162) (1) 205
Bottaso, Franco, Tire materials through the year 2000. A growing partnership to meet performance–environmental needs (abs-F93#58) (1) 181
Bowen, J., see Virdi, R. S., (abs-F93#113) (1) 193
Bradford, W. G., see Wood, Michael E., (abs-F93#67) (1) 183
Breese, Kevin and Beatty, Charles L., The glass transition of an ionic polyurethane elastomer and elastomer glass bead composites as a function of water content (abs-F93#25) (1) 175
Briscoe, B. J., Savvas, T., and Kelly, C. T., 'Explosive decompression failure' of rubbers: a Review of the origins of pneumatic stress induced rupture in elastomers (review) (3) 384
Brodsky, G. I., Mixed peroxide–sulfur curing system for rubbers (abs-F93#126) (1) 197
Brown, Gene, see Bart, Joe, (abs-F93#28) (1) 175
Brown, P. S., see Rooney, N. M., (abs-F93#128) (1) 198
Brown, T. A., Fuchs, E., and Harrington, S. P., Compounding variables for HNBR industrial roll covers (abs-F93#69) (1) 183
Brown, Trevor A., see Arsenault, Gilles J., (abs-S94#7) (4) 730
Brutto, P. E., Wong, W. K., Mou, Y. H., and Zhang, J. Y., A nitroalcohol based adhesion promoter for bonding steel and fabric reinforcements (abs-F93#157) (1) 204
Bulpett, D. A., see Mead, J. L., (abs-S94#9) (4) 730
Burhin, Henri G., see Rigbi, Zvi, (abs-F93#120) (1) 196
Bush, G., see Hennig, T., (abs-S94#46) (4) 739
Byron, David, Human factors design considerations for sporting goods products utilizing thermoplastic elastomers (abs-F93#147) (1) 203

Callais, Peter A., see Palys, Leonard H., (abs-F93#119) (1) 195
Cao, Xianghong, see Zhang, Aiming, (abs-F93#78) (1) 185
Chakroborty, K. B., see Virdi, R. S., (abs-F93#113) (1) 193
Chan, T. W., see Shyu, G. D., (2) 314
Charlton, D. J. H., Yang, J., and Teh, K. K., A review of methods to characterize rubber elastic behavior for use in finite element analysis (review) (3) 481
Charrington, Peter R., see Weiss, Kenneth N., (abs-F93#75) (1) 185
Chasar, D. W., Factors affecting nitrosamine formation during rubber vulcanization (abs-F93#17) (1) 172
Chasar, Dwight W., see Layer, Robert W. (2) 299
Chavez, Eduardo Martinez, Marketing in Mexico (abs-F93#44) (1) 178
Chawla, M., see Lee, B. L., (5) 761
Chehab, K. A., see Bennett, David, (abs-F93#36) (1) 177
Chen, Tong Xing, see Zhang, Shi-Qi, (abs-S94#41) (4) 738
Chi, Y. P., see Huang, W. K., (abs-F93#82) (1) 185
Choi, I. S., Roland, C. M., and Bissonnette, L. C., An elastomeric ejection system (5) 892
Clarke, J., and Freakley, P. K., Reduction in viscosity of an SBR compound caused by mastication and disagglomeration during mixing (4) 700
Cochet, Ph., Barruel, P., Barriquand, L., Grobert, J., Bomal, Y., and Prat, E., Dispersibility measurement of precipitated silicas—Influence of dispersion on mechanical properties (abs-F93#162) (1) 205
Cohen, Robert E., see Nir, Moira Marx, (2) 342
Colligan, Thomas F., see Bhatia, Sushil S., (abs-F93#109) (1) 192
Collins, J. D., see Paeglis, Arnis U., (abs-F93#156) (1) 204
Colvin, H. A., see Alsamarraie, M. A., (abs-F93#165) (1) 206
Concienne, L. H., see Ghebremeskel, Ghebrehiwet N, (abs-S94#8) (4) 730
Consonni, G., see Locati, Giuseppe, (abs-F93#14) (1) 172
Coran, A. Y., Ignatz-Hoover, F., and Smakula, P. C., The dispersion of carbon black in rubber. Part IV. The kinetics of carbon black dispersion in various polymers (2) 237
Coran, A. Y., see Lee, Shirley, (5) 854

Danik, J. A., see Young, D. G., (1) 137
Davies, C. K. L., De, Dilip K., and Thomas, A. G., Characterization of the behavior of rubber for engineering design purposes. 1. Stress–strain relations (4) 716
Day, H. N., see Huang, W. K., (abs-F93#82) (1) 185
de Vos, L. J., see van der Pol, J. F., (abs-F93#141) (1) 201
De, Dilip K., see Davies, C. K. L., (4) 716
De, P. P., see Roychoudhury, A., (4) 662

De, S. K., see Roychoudhury, A., (4) 662
De, S. K., see Mallick, A., (5) 845
Del Vecchio, D. J., Comparison of dynamic test methods for elastomers (abs-F93#35) (1) 177
Dhaliwal, G. K. and Wilson, G. J., Measurement of the unsaturation of butyl rubbers by the iodine index method (4) 567
Dick, John S., Pawlowski, Henry, and Scheers, Erwin, Alternate instrumental methods of measuring scorch and cure characteristics (abs-F93#98) (1) 190
Dick, John S. and Pawlowski, Henry, Rubber characterization by applied strain variations using the rubber process analyzer (abs-S94#5) (4) 729
Dobel, Theresa M. and Kotz, Denise A., Ethylene/acrylic high performance elastomers—Extended agings in selected automotive fluids (abs-F93#97) (1) 189
Dommershuijzen, E., Super single truck tire carcasses: A challenge for *para*-aramid fibers (abs-F93#53) (1) 180
Donnet, J. B., see Ou, Yu-Chun, (5) 834
Douglas, William J., Soby, Michael T., Haasbeek, John, and Klaber, Kathryn Z., Air emission data management to meet Clean Air Act requirements (abs-F93#91) (1) 188
Drake, Ronald E., Labriola, John M., and Holliday, Jeffrey J., Improving properties of EPM and EPDM with coagents (abs-S94#48) (4) 739
Drakopoulos, A., Feke, D. L., and Manas-Zloczower, I., Aggregate structure: Effect on the agglomerate morphology and cohesivity (1) 17
Du, Xingwen, Zhang, Qiuhua, Qu, Wei, and Wan, Zhimin, A constitutive model for rayon cord reinforced rubber in the range of middle strain rate (abs-F93#143) (1) 201
Dulcey, Richard J. and Fender, Ronald G., Cleanup strategies: A business approach to environmental remedy selection (abs-F93#116) (1) 194
Dunn, J. R., see Vara, R., (abs-F93#13) (1) 172
Duvdevani, I., see Friedersdorf, C. B., (abs-S94#4) (4) 729
Duynstee, E. F. J., see Versloot, P., (2) 252

Eastman, A. L., United States scrap tire alternatives, markets and solutions (abs-F93#5) (1) 170
Eggers, H., see Ertong, S., (2) 207
Eller, Robert, The role of thermoplastic elastomer in automotive recycling (abs-F93#8) (1) 170
Ellul, M. D. and Hazelton, D. R., Chemical surface treatments of natural rubber and EPDM thermoplastic elastomers: effect on friction and adhesion (4) 582
Eloph, C. E. and Nesler, D. M., Continuous improvement in the compounding of silicone rubber (abs-F93#89) (1) 187
Endstra, W. C., Verhelst, W. F., and Seeberger, D. B., Nitrosamines: From problem to challenge (abs-F93#124) (1) 197
Eng, A. H., Kawahara, S., and Tanaka, Y., *trans*-isoprene units in natural rubber (1) 159
Engels, H.-W and Kleiner, Th., Sulphur crosslinking—Technical and environmental aspects (abs-F93#12) (1) 171
Ertong, S., Eggers, H., and Schümmer, P., Steady-state shear flow properties of carbon-black filled rubber compounds (2) 207
Estrin, Arkady S., Some aspects of Ziegler–Natta catalytic diene polymerization (abs-F93#64) (1) 182
Evans, Larry R., see Waddell, Walter H., (abs-S94#19) (4) 732
Evans, Larry R., Hope, Jeffrey C., and Waddell, Walter H., Use of reinforcing silica in model sidewall compounds: Effect of carbon black type, polymer type and filler level (abs-S94#32) (4) 735

Facoetti, Elio, Quality starts with correct design of the mixing room (abs-F93#26) (1) 175
Fantuzzi, A., see Locati, Giuseppe, (abs-F93#14) (1) 172
Farcasiu, Malvina, Coprocessing of used rubber tires with coal (abs-F93#41) (1) 178
Farnand, Carl J., ISO 9000—Recipe for success (abs-F93#136) (1) 200
Fegade, N. B., Phondke, N. A., and Arote, B. R., Carbon black/graphite admixtures—An ideal filler for oil-sealing compounds (abs-F93#144) (1) 202
Feke, D. L., see Drakopoulos, A., (1) 17
Feke, D. L., see Bohin, F., (4) 602
Fender, Ronald G., see Dulcey, Richard J., (abs-F93#116) (1) 194
Feng, Zhihao, see Zhang, Aiming, (abs-F93#78) (1) 185
Fesus, Ed, . Scrap rubber, a compounding tool (abs-S94#22) (4) 732
Flowers, D. D., Fusco, J. V., and Tracey, D. S., Advancements in new tire sidewalls with a new isobutylene based copolymer (abs-F93#50) (1) 180
Flowers, D. D., see Gardner, Irwin J., (abs-F93#86) (1) 186
Fornino, Robin L., Performing a compliance audit (abs-F93#76) (1) 185
Francisco, J., The Mexican rubber industry and opportunities resulting from NAFTA (abs-F93#48) (1) 179
Frazer, William H., see McNeish, Alan A., (abs-F93#135) (1) 200
Freakley, P. K., see Clarke, J., (4) 700

Freund, Burkhard, see Wang, Meng-Jiao, (1) 27
Fricke, A. L., see Zaman, A. A., (abs-F93#37) (1) 177
Fricke, A. L., see Zaman, A. A., (abs-F93#43) (1) 178
Friedersdorf, C. B. and Duvdevani, I., The application of Mooney relaxation to quality control of elastomers (abs-S94#4) (4) 729
Fu, Ximei, see Li, Yingbing, (4) 693
Fuchs, E., see Brown, T. A., (abs-F93#69) (1) 183
Fujita, T., see Muramatsu, Y., (abs-F93#95) (1) 189
Fujita, T., see Sueyasu, T., (abs-F93#96) (1) 189
Fusco, J. V., see Flowers, D. D., (abs-F93#50) (1) 180
Fusco, J. V., see Wang, H. C., (abs-F93#84) (1) 186
Fusco, J. V., see Gardner, Irwin J., (abs-F93#86) (1) 186

Gabriel, K. M., Mead, J. L., (abs-S94#9) (4) 730
Gallagher, M. T., EPDM extrusions resistant to 175°C (abs-F93#85) (1) 186
Gardner, I. J., see Tracey, D. S., (abs-F93#55) (1) 180
Gardner, Irwin J., Flowers, D. D., Fusco, J. V., Ohm, R. F., and Annicelli, R. A., A new curative for brominated poly(isobutylene-*co*-*para*-methylstyrene) (abs-F93#86) (1) 186
Garrigus, Woodford M., Recycling FKM—Utility as a low cost additive to FKM compounds (abs-F93#42) (1) 178
Garton, Andrew, see Ruaya, Ascencion, (5) 775
Gedeon, Barbara J. and Vieltorf, Paul E., An overview of elastomers in sporting and recreation markets (abs-F93#146) (1) 202
Gent, A. N., Alan G. Thomas, Charles Goodyear Medalist—1994, biography (3) G48
Gent, A. N., Compression of rubber blocks (review) (3) 549
Gent, A. N., Lai, S.-M., Nah, C., and Wang, Chi, Viscoelastic effects in cutting and tearing rubber (4) 610
Gergely, A., see Lloyd, D. G., (abs-F93#106) (1) 192
Gerspacher, Michel, see Gruber, Tyler C., (2) 280
Ghebremeskel, Ghebrehiwet, Sekinger, J. K., and Concienne, L. H., Evaluation of thermal extraction GC/MS for estimation of styrene emissions from SBR dryers (abs-S94#8) (4) 730
Gibala, David and Hamed, Gary R., Cure and mechanical behavior of rubber compounds containing ground vulcanizates. Part I—Cure behavior (4) 636
Go, Jin Hwan, Ha, Chang Sik, and Noh, Icksam, Effects of a compatibilizer on the properties of EPDM/BR blends (abs-S94#54) (4) 741
Gomes, Jorge M., ISO 9000: One more acronym, or a foundation for a sound quality system? (abs-F93#133) (1) 199
Graf, H.-J., see Johansson, A. H., (abs-F93#125) (1) 197
Graf, H. J., Realistic strategies to prevent carcinogenic N-nitrosamines in rubber (abs-F93#19) (1) 173
Grant, Brenton R., Jr. and Blackwell, Julian T., ISO 9000—The first step to quality assurance (abs-F93#137) (1) 200
Grobert, J., see Cochet, Ph., (abs-F93#162) (1) 205
Gruber, Paul, Strategic environmental management beyond compliance (abs-F93#74) (1) 185
Gruber, Tyler C., Zerda, T. W., and Gerspacher, Michel, 3D Morphological characterization of carbon black aggregates using transmission electron microscopy (2) 280
Gu, Jianming, see Jin, Zhengji, (4) 687
Göritz, D., see Niedermeyer, W., (1) 148

Ha, Chang Sik, see Go, Jin Hwan, (abs-S94#54) (4) 741
Haasbeek, John, see Douglas, William J., (abs-F93#91) (1) 188
Haasnoot, J. G., see Versloot, P., (2) 252, 263
Hackert, Henry a., Experience of a medium-sized German distributor of performance chemicals in developing, documenting, implementing and maintaining a quality system based on DIN ISO 9001 (abs-F93#134) (1) 199
Haeder, Walter, Increasing output and quality by updating the mixing room equipment (abs-F93#155) (1) 204
Halasa, A. F., see Hsu, W. L., (5) 865
Halladay, James R., see Kohli, Tejbans, (abs-F93#130) (1) 198
Haller, Harold S., The SPC revolution, revelation, revival (abs-S94#27) (4) 734
Hamanaka, T., see Muramatsu, Y., (abs-F93#95) (1) 189
Hamed, Gary R., Molecular aspects of the fatigue and fracture of rubber (review) (3) 529
Hamed, Gary R., see Gibala, David, (4) 636
Hamm, W., see Kilian, H. G., (1) 1
Hammarhjelm, Carl, see King, Joseph B., (abs-F93#9) (1) 170
Hann, Cynthia J., Sullivan, Alfred B., Host, Brian C., and Kuhls, George, Jr., Vulcanization chemistry. Comparison of the new accelerator N-*t*-butyl-2-benzothiazole sulfenimide (TBSI) with N-*t*-butyl-2-benzothiazole sulfenamide (TBBS) (1) 76

Harindranath, C. S., see Banerji, M. S., (abs-F93#145) (1) 202
Harrington, S. P., see Brown, T. A., (abs-F93#69) (1) 183
Hashimoto, K., see Nakajima, Kazuyoshi, (abs-S94#49) (4) 740
Hatakeyama, Kazuya and Hirata, Yasushi, Study of a new cure system having a higher thermal stability (abs-F93#80) (1) 185
Hayashi, S., see Aimura, Y., (abs-F93#63) (1) 182
Hayden, Carl, Quality management for the small organization (abs-S94#28) (4) 734
Hazelton, D. R., see Ellul, M. D., (4) 582
He, Lizhong, see Zhang, Jinmei, (abs-F93#140) (1) 201
Heeks, G. J., see Seanor, D. A., (abs-S94#45) (4) 739
Hendra, Patrick J. and Jackson, Kevin D. O., Applications of Raman spectroscopy to the analysis of natural rubber (abs-F93#105) (1) 191
Hennig, T. and Bush, G., Influence of synthetic silicas on the electrical and dielectrical properties of HTV-Silicone rubber (abs-S94#46) (4) 739
Henry, A. W., see Seanor, D. A., (abs-S94#45) (4) 739
Hensel, M., see Vander Kooi, John, (abs-F93#121) (1) 196
Hewitt, N. L., Mechanism of brass adhesion (abs-S94#38) (4) 737
Hirahara, Hidetoshi, see Mori, Kunio, (5) 797
Hirata, Yasushi, see Hatakeyama, Kazuya, (abs-F93#80) (1) 185
Hoezen, Kees B., European efforts in rubber recycling (abs-F93#9a) (1) 171
Hogue, Ronald D. and Lederer, Donald A., Responsible Care®: The suppliers' role (abs-F93#117) (1) 195
Holland, Gerald W., Hu, Benfei, and Holland, Stephen W., Surface area measurement of ground rubber using the B.E.T. Surface Area Analyzer method (abs-S94#23) (4) 733
Holland, Stephen W.,see Holland, Gerald W., (abs-S94#23) (4) 733
Holliday, Jeffrey J., see Drake, Ronald E., (abs-S94#48) (4) 739
Hong, Sung W., see Mazzeo, Russell A., (abs-S94#31) (4) 735
Hope, Jeffrey C., see Evans, Larry R., (abs-S94#32) (4) 735
Horvath, J. W., see Alsamarraie, M. A., (abs-F93#165) (1) 206
Horvath, James W., Oil resistant elastomer blends as viable application alternative (abs-F93#154) (1) 203
Host, Brian C., see Hann, Cynthia J., (1) 76
Hous, P., see Wang, H. C., (abs-F93#84) (1) 186
Hsu, W. L. and Halasa, A. F., Preparation and characterization of crystalline 3,4-polyisoprene (5) 865
Hu, Benfei, Holland, Gerald W., (abs-S94#23) (4) 733
Huang, W. K., Day, H. N., Li, P. C., Tseng, M. C., Chi, Y. P., Lin, H. J., and Liaw, F. H., Fatigue life and heat build-up in rubber polymers (abs-F93#82) (1) 185

Iddon, Michael I., Extruder update: Cold feed extruder—Where do we go from here? (abs-F93#27) (1) 175
Ignatz-Hoover, F., see Coran, A. Y., (2) 237
Immergut, Edmund H., Herman F. Mark, 1895–1992 (2) G27
Isayev, A. I., see Shyu, G. D., (2) 314
Ishida, K., see Sueyasu, T., (abs-F93#96) (1) 189
Iwabuchi, Akira, see Mori, Kunio, (5) 797

Jackson, Kevin D. O., see Hendra, Patrick J., (abs-F93#105) (1) 191
Jin, Zhengji, Gu, Jianming, Liu, Weidong, and Zhang, Shiqi, The correlation among vulcanizate properties using computer aided design (4) 687
Jobe, Ian R., see Arsenault, Gilles J., (abs-S94#7) (4) 730
Johansson, A. H. and Graf, H.-J., Some forgotten accelerators: The thiophosphates—Helpful in the design of nitrosamine-free accelerator systems (abs-F93#125) (1) 197
Johnson, A. R., Quigley, C. J., and Mead, J. L., Large strain viscoelastic constitutive models for rubber, Part I: Formulations (5) 904
Jones, Kevin and Lawrence, Kristina, The increasing dependence of the elastomer supply industry upon the automotive industry (abs-S94#36) (4) 736
Jones, M., see Aimura, Y., (abs-F93#63) (1) 182
Joseph, Tom, Beatty, Charles L., and Zafrin, K., The effect of compressive (or tensile) stress and pressure on the glass transition of a covalently crosslinked polyurethane (abs-F93#90) (1) 187
Joseph, Tom, Beatty, Charles L., and Venkataswamy, K., Effect of deformation on the relaxation of a covalently crosslinked polyurethane elastomer (abs-F93#11) (1) 190
Jourdain, Eric P., Computer control of internal mixer for more consistent EPDM compounds (abs-S94#37) (4) 737
Joyce, J. A., see Roychoudhury, A., (4) 662

Kadir, Abdul Azziz S. A., Advances in natural rubber production(review) (3) 527
Kakumu, K., see Shibata, K., (abs-F93#57) (1) 181

Kanae, Kentaro, see Mori, Kunio, (5) 797
Kaneda, Satoshi, see Mori, Kunio, (5) 797
Karg, R. F., Technical sales service in Latin America (abs-F93#46) (1) 179
Katzer, Manfred, Representation and supervision possibilities of modern injection moulding computer control systems (abs-F93#24) (1) 174
Kawahara, S., see Eng, A. H., (1) 159
Kelly, C. T., see Briscoe, B. J., (review) (3) 384
Kelly, James M., The use of natural rubber for earthquake protection of buildings (abs-F93#131) (1) 198
Khait, Klementina, New used tire recovery process for value-added products (abs-S94#24) (4) 733
Khamrai, A. K., Anis, M., Yadaz, B. S., and Millns, W., Studies of coagents in peroxy cured vulcanizates—acrylonitrile butadiene rubber (NBR) (abs-F93#123) (1) 196
Kholodenko, Arnold and Rivkin, Michael, Mechanical seal with elastomeric rotating element. Part 1: Theory of operation (1) 42
Kholodenko, Arnold, see Rivkin, Michael, (1) 62
Kilian, H. G., Strauss, M., and Hamm, W., Universal properties in filler-loaded rubbers (1) 1
Kim, Pan Soo and White, James L., Flow visualization of intermeshing and separated counter-rotating rotor internal mixer (5) 880
Kim, Sang Goo and Lee, Suck-Hun, Effect of crosslink structures on the fatigue crack growth behavior of NR vulcanizates with various aging conditions (4) 649
King, Joseph B. and Hammarhjelm, Carl, Planning and operation of a cryogenic tire recycling plant (abs-F93#9) (1) 170
Klaber, Kathryn Z., see Douglas, William J., (abs-F93#91) (1) 188
Kleiner, Th., see Engels, H.-W. (abs-F93#12) (1) 171
Koenig, J. L., see Krejsa, M. R., (2) 348
Kohli, Tejbans, Law, Thomas R., and Halladay, James R., Designing elastomeric isolators for large turbofan engines (abs-F93#130) (1) 198
Kole, Swapan, Santra, Rabin, and Bhowmick, Anil K., Studies of *in-situ* compatibilized blend of silicone and EPDM rubbers (1) 119
Konicki, Kathleen A., Reducing waste at the source: Case study of pollution prevention successes (abs-F93#115) (1) 194
Konno, T., see Aimura, Y., (abs-F93#63) (1) 182
Kotz, Denise A., see Dobel, Theresa M., (abs-F93#97) (1) 189
Kotz, Denise A. and Stevens, Ronald D., Development of improved processing variants of VITON GFLT Fluoroelastomer (abs-F93#114) (1) 194
Kovac, Frederick J., Natural rubber 2000 (abs-F93#104) (1) 191
Kover, R. P., Commercial opportunities in cryogenic tire recycling (abs-F93#152) (1) 203
Kramer, Hagen, Simulation of an injection molding process with a special capillary rheometer (abs-F93#29) (1) 176
Kreitmeier, S., see Niedermeyer, W., (1) 148
Krejsa, M. R., Koenig, J. L., and Sullivan, A. B., Analysis of the mechanism of *N-t*-butyl-2-benzothiazole sulfenamide accelerated sulfur vulcanization of *cis*-polyisoprene (2) 348
Krishnan, K. R., see Banerji, M. S., (abs-F93#145) (1) 202
Kuhls, George, Jr., see Hann, Cynthia J., (1) 76
Kuwamoto, K., Compatibilization and dynamic vulcanization of nylon 6/isobutylene methylstyrene elastomer: Rheological and morphological studies (abs-S94#56) (4) 742

Labriola, John M., see Drake, Ronald E., (abs-S94#48) (4) 739
Lai, S.-M., see Gent, A. N., (4) 610
Lammers, Henne, see Bebensee, Irene, (abs-F93#34) (1) 176
Lauretti, E., Miani, B., and Mistrali, F. Improving fatigue resistance with neodymium polybutadiene, (abs-F93#62) (1) 181
Law, Thomas R., see Kohli, Tejbans, (abs-F93#130) (1) 198
Lawrence, Kristina, see Jones, Kevin, (abs-S94#36) (4) 736
Layer, Robert W. and Chasar, Dwight W., Minimizing nitrosamines using sterically hindered thiuram disulfides/dithiocarbamates (2) 299
Lederer, Donald A., see Hogue, Ronald D., (abs-F93#117) (1) 195
Lee, B. L., Liu, D. S., Chawla, M., and Ulrich, P.C., Fatigue of cord–rubber composites (5) 761
Lee, Shirley, Pawlowski, Henry, and Coran, A. Y., Method for estimating the chemical crosslink densities of cured natural rubber and styrene–butadiene rubber (5) 854
Lee, Suck-Hun, see Kim, Sang Goo, (4) 649
Levin, Nils M., Curing fumes—a threat to the environment or not? (abs-F93#11) (1) 171
Lewandowski, L. H.. Polymer modification of paving asphalt binders (review) (3) 447
Li, P. C., see Huang, W. K., (abs-F93#82) (1) 185
Li, Yingbing, see Lu, Bailing, (abs-F93#132) (1) 199

Li, Yingbing, Wang, M. J., Zhang, Tao, Zhang, Fenhou, and Fu, Ximei, Study on dispersion morphology of silica in rubber (4) 693
Li, Zhouping, Beatty, Charles L., and Stephens, K. E., Properties of styrene/butadiene block and random copolymer elastomers before and after exposure to ozone (abs-F93#99) (1) 190
Liaw, F. H., see Huang, W. K., (abs-F93#82) (1) 185
Lin, H. J., see Huang, W. K., (abs-F93#82) (1) 185
Liu, D. S., see Lee, B. L., (5) 761
Liu, Weidong, see Jin, Zhengji, (4) 687
Lloyd, D. G., Gergely, A., and Maender, Otto W., Recent developments in curing systems for natural rubber (abs-F93#106) (1) 192
Loadman, John R., Nitrosamines: Myth, fancy and facts (abs-F93#16) (1) 172
Loadman, John R., Prospects for rubber conservation in museums (abs-S94#35) (4) 736
Locati, Giuseppe, Consonni, G., and Fantuzzi, A., Assessment of the health risk due to polycyclic aromatic hydrocarbons contained in process oils: Results of studies carried out both in laboratory and in working places (abs-F93#14) (1) 172
Lohse, David J., The application of small angle neutron scattering to elastomers (review) (3) 367
Louda, Dale and Pantuso, Peter, A strong industry voice combating government mandates (abs-F93#118) (1) 195
Lu, Bailing and Li, Yingbing, NR applications in China (abs-F93#132) (1) 199

Macosko, Christopher W., see Aranguren, Mirta I., (5) 820
Maender, Otto W., see Lloyd, D. G., (abs-F93#106) (1) 192
Male, Frank J., Stress relaxation data as processability indicators (abs-S94#11) (4) 731
Malek, Kamarudin Ab, see Stevenson, A., (5) 743
Mallick, A., Tripathy, D. K., and De, S. K., Thermally induced crosslinking between polyacrylic acid and epoxidized natural rubber: Effect of carbon black filler on strain dependent dynamic mechanical properties (5) 845
Manas-Zloczower, I., see Drakopoulos, A., (1) 17
Manas-Zloczower, I., see Bohin, F., (4) 602
Manas-Zloczower, Ica, Studies of mixing efficiency in batch and continuous mixers (review) (3) 504
Mandal, Swapan Kumar and Basu, Dipak Kumar, Reactive compounds for effective utilization of silica (4) 672
Marcelli, A. M., see Alsamarraie, M. A., (abs-F93#165) (1) 206
Mark, James E., see Wen, Jianye, (5) 806
Marzetta, J., see Pomini, L., (abs-F93#21) (1) 173
Matenar, G. and Spindler, G., Corrosion protection of flue gas desulfurization in hard coal-fired power stations: Long-term experience with soft rubber linings (abs-F93#23) (1) 174
Mazda, T., see Muramatsu, Y., (abs-F93#95) (1) 189
Mazda, T., see Sueyasu, T., (abs-F93#96) (1) 189
Mazzeo, Russell A., Boisseau, Norman A., Hong, Sung W., and Wheeler, Edward L., Functions and mechanisms of antidegradants to prevent polymer degradation (abs-S94#31) (4) 735
McGrath, K. J. and Roland, C. M., NMR study of miscibility in polyepichlorohydrin/poly-(vinylmethylether) blends (4) 629
McMillin, Carl R.,. Elastomers for biomedical applications (review) (3) 417
McNeish, Alan A. and Frazer, William H., The implementation of ISO 9002 in a carbon black plant (abs-F93#135) (1) 200
Mead, J. L., Gabriel, K. M., Bulpett, D. A., Zukas, Walter X., and Simoneau, R. W., Evaluation of highly saturated nitrile rubber compounds for use in tank truck pads (abs-S94#9) (4) 730
Mead, J. L., see Johnson, A. R., (5) 904
Meisenheimer, H., Ethylene vinylacetate elastomers (EVM) for environmentally friendly cable applications (abs-S94#55) (4) 741
Metz, O., see Niedermeyer, W., (1) 148
Miani, B., see Lauretti, E. (abs-F93#62) (1) 181
Millns, M., see Khamrai, A. K., (abs-F93#123) (1) 196
Millns, W., see Banerji, M. S., (abs-F93#145) (1) 202
Mistrali, F., see Lauretti, E. (abs-F93#62) (1) 181
Mohseen, S., see Zaman, A. A., (abs-F93#37) (1) 177,
(abs-F93#43) (1) 178
Moore, Michael J., Cure studies of rubber-to-metal bonding agents (abs-F93#122) (1) 196
Moore, Michael J., Aqueous adhesives for the dynamic seal industry (abs-S94#43) (4) 738
Moore, Michael J., Surface energy measurements and their application to rubber-to-metal bonding (abs-S94#50) (4) 740
Mora, Elsi, see Aranguren, Mirta I., (5) 820
Morawski, Jean Claude, Ideas and information: Keys for innovations (abs-F93#111) (1) 193
Mori, Kunio, Kaneda, Satoshi; Kanae, Kentaro; Hirahara, Hidetoshi; Oishi, Yoshiyuki; and Iwabuchi, Akira, Influence on friction force of adhesion force between vulcanizates and sliders (5) 797

Mou, Y. H., see Brutto, P. E., (abs-F93#157) (1) 204
Muramatsu, Y., Fujita, T., Mazda, T., Hamanaka, T., and Yoshizawa, T., Study for the prediction of the long-term durability of Seismic isolators—Part 1 (abs-F93#95) (1) 189

Naderi, Akbar, see Peng, Shu H., (5) 871
Nakajima, Kazuyoshi, Oyama, M., and Hashimoto, K., Direct adhesion betweeen FKM and GECO or between FKM and NBR/PVC (abs-S94#49) (4) 740
Nakajima, N., Mixing of rubber and viscoelasticity—II. Large deformation and fracture of rubber (abs-S94#13) (4) 731
Nesler, D. M., see Eloph, C. E., (abs-F93#89) (1) 187
Nichols, Mark E. and Pett, Robert A., The effects of ageing during impulse testing on the fracture behavior of power steering hose materials (abs-S94#33) (4) 735
Nichols, Mark E. and Pett, Robert A., Effects of aging on the fracture behavior of chlorinated polyethylene and chlorosulfonated polyethylene (4) 619
Niedermeyer, W., Stierstorfer, J., Kreitmeier, S., Metz, O., and Göritz, D., Morphological investigations on carbon-black particles by atomic force microscopy (1) 148
Nir, Moira Marx and Cohen, Robert E., Mechanical properties of blends of crystallizable polybutadienes containing amorphous diblock copolymers (2) 342
Nishikawa, I., see Sueyasu, T., (abs-F93#96) (1) 189
Noh, Icksam, see Go, Jin Hwan, (abs-S94#54) (4) 741
Novits. Michael F., see Palys, Leonard H., (abs-F93#119) (1) 195

Ohm, R. F., see Gardner, Irwin J., (abs-F93#86) (1) 186
Oishi, YHoshiyuki, see Mori, Kunio, (5) 797
Okel, Timothy A. and Waddell, Walter H., Silica properties/rubber performance correlation. Carbon-black filled compounds (2) 217
Ou, Yu-Chun, Yu, Zhong-Zhen, Vidal, A., and Donnet, J. B., Effects of alkylation of silica filler on rubber reinforcements (5) 834
Oyama, M., see Nakajima, Kazuyoshi, (abs-S94#49) (4) 740

Paciulan, Robert S., Athletic shoe soling opportunities for the rubber industry (abs-F93#151) (1) 203
Paeglis, Arnis U. and Collins, J. D., Granular gas-phase EPDM rubber (abs-F93#156) (1) 204
Palys, Leonard H., Callais, Peter A., and Novits, Michael F., Crosslinking elastomers with improved productivity using novel scorch resistant peroxide formulations (abs-F93#119) (1) 195
Pantuso, Peter, see Louda, Dale, (abs-F93#118) (1) 195
Parker, D. K., see Alsamarraie, M. A., (abs-F93#165) (1) 206
Parker, Dane K.. Roberts, Robert F., and Schiessl, Henry W., The preparation, properties and potential applications of "Diimide-hydrogenated" styrene–butadiene (HSBR) and polybutadiene (HBR) thermoplastic elastomers (2) 288
Parker, James R., see Waddell, Walter H., (abs-S94#19) (4) 732
Pawlowski, Henry, see Dick, John S., (abs-F93#98) (1) 190, (abs-S94#5) (4) 729
Pawlowski, Henry, see Lee, Shirley, (5) 854
Payne, Eugene, Reclaim rubber usage and trends (abs-F93#2) (1) 169
Peng, Shu H., Shimbori, Takao, and Naderi, Akbar, Measurement of elastomer's bulk modulus by means of a confined compression test (5) 871
Pett, Robert A., see Nichols, Mark E., (4) 619
Pett, Robert A.., see Nichols, Mark E., (abs-S94#33) (4) 735
Phinyocheep, P. and Axtell, F. H., Development of low cost toughened plastics utilizing recycled rubber (abs-F93#40) (1) 171
Phondke, N. A., see Fegade, N. B., (abs-F93#144) (1) 202
Plale, Larry, see Bebensee, Irene, (abs-F93#34) (1) 176
Pohl, J. W., Are there alternatives to internal mixing in the coming century? (abs-F93#20) (1) 173
Pomini, L. and Marzetta, J., VIC generation: Internal mixers with variable intermeshing clearance (abs-F93#21) (1) 173
Prat, E., see Cochet, Ph., (abs-F93#162) (1) 205
Puskas, Judit and Wilds, Christopher, Kinetics of the epoxidation of butyl rubber: Development of a high precision analytical method for unsaturation measurement (2) 329
Put, J., see Versloot, P., (2) 252, 263

Qu, Wei, see Du, Xingwen, (abs-F93#143) (1) 201
Quigley, C. J., see Johnson, A. R., (5) 904

Recchio, M., see Aimura, Y., (abs-F93#63) (1) 182
Reedijk, J., see Versloot, P., (2) 252, 263
Reiber, Steven, Chloramine effects on elastomer degradation (abs-F93#83) (1) 186

Richmond, Bruce R., Carbon black dispersion measurement. Part II. Influence of dispersion on physical properties (abs-F93#158) (1) 205
Rigbi, Zvi and Burhin, Henri G., Scorch/cure time relationships (abs-F93#120) (1) 196
Rijpkema, B. and Weening, W. E., The mechanical properties of RFL-adhesive layers and their influence on cord-in-rubber composites (abs-F93#142) (1) 201
Rivkin, Michael, see Kholodenko, Arnold, (1) 42
Rivkin, Michael and Kholodenko, Arnold, Mechanical seal with elastomeric rotating element. Part 2: Experimental study (1) 62
Roberts, Robert F., see Parker, Dane K., (2) 288
Roland, C. M., see Santangelo, P. G., (2) 359
Roland, C. M., see McGrath, K. J., (4) 629
Roland, C. M., see Choi, I. S., (5) 892
Rooney, N. M., von Hellens, C. W., Tinker, A. J., and Brown, P. S., EPDM-phase crosslink density in blends of natural rubber and EPDM (abs-F93#128) (1) 198
Roos, J., see Struckmeyer, Horst F., (abs-F93#22) (1) 174
Rouse, Michael W., Application of crumb rubber modifiers (CRM) in asphaltic materials (abs-S94#26) (4) 734
Roychoudhury, A., De, S. K., De, P. P., Ayala, J. A., and Joyce, G. A., Chemical interaction between carbon black and elastomers—crosslinking of chlorosulfonated polyethylene by carbon black (4) 662
Rozich, Alan F., Use of biofilters for treating VOCs in air streams (abs-F93#92) (1) 188
Ruaya, Ascencion, Shaw, Montgomery T., and Garton, Andrew, Oxidation of elastomers in aqueous environments (5) 775

Saam, John, see Aranguren, Mirta I., (5) 820
Saburaj, K. R., see Banerji, M. S., (abs-F93#145) (1) 202
Salinger, Rudolf, Complications in comparing test results from different sources (abs-F93#70) (1) 183
Samsuri, Azemi bin, Effect of process oil on the elastic constant C_1 and strength properties of the black-filled natural rubber (abs-S94#52) (4) 740
Santangelo, P. G. and Roland, C. M., The mechanical behavior of double network elastomers (2) 359
Santra, Rabin, see Kole, Swapan, (1) 119
Savvas, T., see Briscoe, B. J., (review) (3) 384
Scheers, Erwin, see Dick, John S., (abs-F93#98) (1) 190
Schiessl, Henry W., see Parker, Dane K., (2) 288
Schröter, Axel, Urepan—A new generation of polyurethane rubbers (abs-S94#42) (4) 738
Schuster, R. H., see Zietlow, J., (abs-F93#10) (1) 171
Schümmer, P., see Ertong, S., (2) 207
Seanor, D. A., Heeks, G. J., and Henry, A. W., A novel antioxidant for addition cured silicone elastomers (abs-S94#45) (4) 739
Sedlak, John R., ISO 9000 & SPC: Management's commitment to process control (abs-S94#29) (4) 734
Seeberger, D. B., see Endstra, W. C., (abs-F93#124) (1) 197
Sekinger, J. K., see Ghebremeskel, Ghebrehiwet N, (abs-S94#8) (4) 730
Serumgard, John R., Scrap tire recycling: A progress report (abs-S94#21) (4) 732
Sharaf, M. A., Ultimate properties of stereoregular and stereoirregular 1,4-polybutadiene networks and their correlation with theories (1) 88
Shaw, Montgomery T., see Ruaya, Ascencion, (5) 775
Sherritt, Jerry, see Vander Kooi, John, (abs-F93#121) (1) 196
Shibata, K., Uemura, Y., and Kakumu, K., The multivariate analysis on snow performance of all-season tires (abs-F93#57) (1) 181
Shiffer, R. C., The use of high levels of elastomeric granules in resilient surfacing (abs-F93#150) (1) 203
Shimbori, Takao, see Peng, Shu H., (5) 871
Shyu, G. D., Chan, T. W., and Isayev, A. I., Reduced time approach to curing kinetics, Part II: Master curve from nonisothermal data (2) 314
Simoneau, R. W., see Mead, J. L., (abs-S94#9) (4) 730
Simonis, Robert, The transport of carbon black: Yesterday and today (abs-F93#159) (1) 205
Sloan, James M. and Bodnar, Stephen C., Flooded cell permeation testing of elastomers (abs-F93#31) (1) 176
Smakula, P. C., see Coran, A. Y., (2) 237
Smith, Fernley G., Ground rubber use—emerging new market trends (abs-F93#3) (1) 169
Soby, Michael T., see Douglas, William J., (abs-F93#91) (1) 188
Spindler, G., see Matenar, G., (abs-F93#23) (1) 174
Stephens, K. E., see Li, Zhouping, (abs-F93#99) (1) 190
Stevens, Ronald D., see Kotz, Denise A., (abs-F93#114) (1) 194
Stevenson, A. and Malek, Kamarudin Ab, On the puncture mechanics of rubber (5) 743
Stierstorfer, J., see Niedermeyer, W., (1) 148

Strauss, M., see Kilian, H. G., (1) 1
Struckmeyer, Horst F. and Roos, J., The influence of storage conditions on the vulcametric and rheovulcametric behavior of FKM Elastomer compounds (abs-F93#22) (1) 174
Sueyasu, T., Fujita, T., Ishida, K., Mazda, T., and Nishikawa, I., Study for the prediction of the long-term durability of seismic isolators—Part 2 (abs-F93#96) (1) 189
Sullivan, A. B., see Krejsa, M. R., (2) 348
Sullivan, Alfred B., see Hann, Cynthia J., (1) 76

Tanaka, Y., see Eng, A. H., (1) 159
Tanton, Russ, Increasing the profitability of silicone rubber molding (abs-F93#112) (1) 193
Teh, K. K., see Charlton, D. J. H., (review) (3) 481
Thavamani, P. and Bhowmick, Anil K., Universal relationship between abradability and breaking energy, shear loss modulus and ridge spacing (1) 129
Thomas, A. G., The development of fracture mechanics for elastomers (3) G50
Thomas, A. G., see Davies, C. K. L., (4) 716
Thompson, Corley M. and Allen, J. Scott, The effect of mold pressure on the electrical resistivity of elastomers (1) 107
Thorburn, Bruce, A precuring technique for tire components to reduce weight and cost (abs-S94#20) (4) 732
Thorn-Csányi, Emma, Quantitative metathetic degradation of rubbers and sulfur crosslinked rubbers—Including tires (5) 786
Thornton, Claude C., The farm on rubber (abs-S94#18) (4) 731
Tinker, A. J., see Rooney, N. M., (abs-F93#128) (1) 198
Tombs, J. E., Computer modelling for prediction of tire inflation pressure retention and intracarcass pressure(abs-S94#40) (4) 737
Tracey, D. S., see Flowers, D. D., (abs-F93#50) (1) 180
Tracey, D. S. and Gardner, I. J., Longer lasting tire curing bladders (abs-F93#55) (1) 180
Tripathy, D. K., see Mallick, A., (5) 845
Tseng, M. C., see Huang, W. K., (abs-F93#82) (1) 185

Uemura, Y., see Shibata, K., (abs-F93#57) (1) 181
Ulrich, P. C., see Lee, B. L., (5) 761
Umland, H., see Vander Kooi, John, (abs-F93#121) (1) 196

van der Pol, J. F. and de Vos, L. J., Short fiber reinforcement of elastomers (abs-F93#141) (1) 201
Van Duin, M., see Versloot, P., (2) 252, 263
Vander Kooi, John, Sherritt, Jerry, Umland, H., and Hensel, M., Changing elastomer properties with zinc soaps (abs-F93#121) (1) 196
Vara, R. and Dunn, J. R., Developments in fuel hoses to meet changing environmental needs (abs-F93#13) (1) 172
Venkataswamy, K., see Joseph, Tom, (abs-F93#101) (1) 190
Verhelst, W. F., see Endstra, W. C., (abs-F93#124) (1) 197
Versloot, P., Haasnoot, J. G., Reedijk, J., van Duin, M., Duynstee, E. F. J., and Put, J., Sulfur vulcanization of simple model olefins, Part II: Characterization and reactivity of intermediate vulcanization products of 2,3-dimethyl-2-butene (2) 252
Versloot, P., Haasnoot, J. G., Reedijk, J., Van Duin, M., and Put, J., Sulfur vulcanization of simple model olefins. Part III: Vulcanization of 2,3-dimethyl-2-butene in the presence of different metal complexes (2) 263
Vidal, A., see Ou, Yu-Chun, (5) 834
Vieltorf, Paul E., see Gedeon, Barbara J., (abs-F93#146) (1) 202
Virdi, R. S., Chakroborty, K. B. and Bowen, J., High performance "Safe" nitrosamine cure systems for elastomers (abs-F93#113) (1) 193
von Hellens, C. W., see Rooney, N. M., (abs-F93#128) (1) 198

Waddell, Walter H., see Okel, Timothy A., (2) 217
Waddell, Walter H., Evans, Larry R., and Parker, James R., Improved farm tread performance using precipitated silica (abs-S94#19) (4) 732
Waddell, Walter H., see Evans, Larry R., (abs-S94#32) (4) 735
Wan, Zhimin, see Du, Xingwen, (abs-F93#143) (1) 201
Wang, Chi, see Gent, A. N., (4) 610
Wang, H. C., Fusco, J. V., and Hous, P., Acrylate ester modifications of isobutylene/*para*-methylstyrene copolymer (abs-F93#84) (1) 186
Wang, M. J., see Li, Yingbing, (4) 693
Wang, Meng-Jiao, Wolff, Siegfried, and Freund, Burkhard, Filler–elastomer interactions. Part XI. Investigation of the carbon-black surface by scanning tunneling microscopy (1) 27
Warner, Walter C., Methods of devulcanization (review) (3) 559

Weening, W. E., see Rijpkema, B., (abs-F93#142) (1) 201
Weiss, Kenneth N. and Charrington, Peter R., The 1990 Clean Air Act amendments—Charting a course to compliance (abs-F93#75) (1) 185
Wen, Jianye and Mark, James E., Precipitation of silica-titania mixed-oxide fillers into poly(dimethylsiloxane) network (5) 806
Wheeler, Edward L., see Mazzeo, Russell A., (abs-S94#31) (4) 735
White, James L., see Kim, Pan Soo, (5) 880
Wilds, Christopher, see Puskas, Judit, (2) 329
Williams, W., see Bennett, David, (abs-F93#87) (1) 187
Wilson, G. J., see Dhaliwal, G. K., (4) 567
Wolff, Siegfried, see Wang, Meng-Jiao, (1) 27
Wong, Henry H., The mysterious art of quality auditing (abs-F93#138) (1) 200
Wong, Henry H., Francis, A. E., Newton, J. A., and Tan, E. H., Perspectives of variation (abs-F93#139) (1) 200
Wong, W. K., see Brutto, P. E., (abs-F93#157) (1) 204
Wood, Michael E. and Bradford, W. G., Synchronous and serpentine bent compounds: The new benchmark in dynamic performance (abs-F93#67) (1) 183

Xie, Luqing and Zhang, James, Experimental determination of in-plane shear modulus of unidirectional cord–rubber composites (abs-S94#53) (4) 741
Xue, Zhao-Hon, see Yan, Rui-Fang, (abs-F93#60) (1) 181

Yadaz, B. S., see Khamrai, A. K., (abs-F93#123) (1) 196
Yan, Rui-Fang and Xue, Zhao-Hong, Study and development on natural Eucommia Ulmoide gum (abs-F93#60) (1) 181
Yang, Fu-Ying, see Zhang, Shi-Qi, (abs-S94#41) (4) 738
Yang, J., see Charlton, D. J. H., (review) (3) 481
Yoshizawa, T., see Muramatsu, Y., (abs-F93#95) (1) 189
Young, D. G. and Danik, J. A., Effects of temperature on fatigue and fracture (1) 137
Yu, Zhong-Zhen, see Ou, Yu-Chun, (5) 834

Zafrin, K., see Joseph, Tom, (abs-F93#90) (1) 187
Zaman, A. A., Beatty, Charles L., Mohseen, S., and Fricke, A. L., Rheological behavior of ground rubber (from tires) modified asphalt (abs-F93#37) (1) 177
Zaman, A. A., Beatty, Charles L., Mosheen, D., and Fricke, A. L., Creep/recovery behavior of asphalt modified by ground rubber particles from tires (abs-F93#43) (1) 178
Zerda, T. W., see Gruber, Tyler C., (2) 280
Zhang, Aiming, Cao, Xianghong, and Feng, Zhihao, The production technology of polybutadiene in China (abs-F93#78) (1) 185
Zhang, Fenhou, see Li, Yingbing, (4) 693
Zhang, J. Y., see Brutto, P. E., (abs-F93#157) (1) 204
Zhang, James, see Xie, Luqing, (abs-S94#53) (4) 741
Zhang, Jinmei and He, Lizhong, Study of rubber plus fibers composite: Influence of plasma treated short fibers on rubber reinforcement (abs-F93#140) (1) 201
Zhang, Ping, see Zhang, Shi-Qi, (abs-S94#41) (4) 738
Zhang, Qiuhua, see Du, Xingwen, (abs-F93#143) (1) 201
Zhang, Shi-Qi, Yang, Fu-Ying, Zhang, Ping; Zhou, Cui-Wei, and Chen, Tong Xing, Study on the dynamics of mechanochemical reaction of vulcanizates during fatigue and abrasion (abs-S94#41) (4) 738
Zhang, Shiqi, see Jin, Zhengji, (4) 687
Zhang, Tao, see Li, Yingbing, (4) 693
Zhou, Cui-Wei, see Zhang, Shi-Qi, (abs-S94#1) (4) 738
Zietlow, J. and Schuster, R. H., Vulcanization fumes—A laboratory study (abs-F93#10) (1) 171
Zukas, Walter X., see Mead, J. L., (abs-S94#9) (4) 730

SUBJECT INDEX*

^{129}Xe NMR spectroscopy, for studying miscibility of blends where T_gs are nearly equal (4) 629
2,3-dimethyl-2-butene, in study of sulfur vulcanization (2) 252
2,3-dimethyl-2-butene, vulcanization in the presence of metal complexes (2) 263
3D morphological characterization, of carbon black aggregates, using electron microscopy (2) 280
AAHR (aliphatic and aromatic hydrocarbon resins), effect on NBR/BR blends (abs-S94#54) (4) 741
Abradability and breaking energy of elastomers (NR, SBR, HNBR), universal relationship (1) 129
Abrasion, mechanochemical reaction of vulcanizates during (abs-S94#41) (4) 738
Accelerated aging method, for predicting durability of NR seismic isolators (abs-F93#96) (1) 189
Accelerators, for reducing nitrosamines in curing (abs-F93#113) (1) 193
Acrylate ester modification, of isobutylene/*para*-methylstyrene copolymer (abs-F93#84) (1) 186
Active center number, of Ziegler–Natta catalyst, and effect on polydienes (abs-F93#64) (1) 182
Adhesion force, relation to friction force between vulcanizate and slider (5) 797
Adhesion promoter, for bonding steel and fabric reinforcements (abs-F93#157) (1) 204
Adhesion, between FKM and GECO or FKM and NBR/PVC, using PBT (abs-S94#49) (4) 740
Adhesion, to brass, mechanism of improvement due to silica (abs-S94#38) (4) 737
Adhesives, aqueous, for dynamic seals (abs-S94#43) (4) 738
Agglomerate cohesivity, through structural model for carbon black aggregate (1) 17
Aging, during impulse testing of power steering hose material, effects on fracture (abs-S94#33) (4) 735
Aging, effect of various conditions on fatigue crack growth of NR vulcanizates (4) 649
Aging, effect on fracture in chlorinated and chlorosulfonated polyethylenes (4) 619
Alkyl polysulfide mercaptothiadiazole derivative, in curative for tire sidewalls (abs-F93#86) (1) 186
Antidegradants, for polymers (abs-S94#31) (4) 735
Antioxidant, for addition cured silicone elastomers (abs-S94#45) (4) 739
Aramid fibers, in super single truck tires (abs-F93#53) (1) 180
AK-4 cure system, for reducing undesirable N-nitrosamines (abs-F93#113) (1) 193
Asphalt binders, for paving, polymer modification of (review) (3) 447
Asphalt paving, use of crumb rubber modifiers in (abs-S94#26) (4) 734
Asphalt, modified by ground tire scrap, creep/recovery behavior (abs-F93#43) (1) 178
Asphalt, with ground tire scrap (abs-F93#37) (1) 177
Atomic force microscopy, for studying morphology of carbon black particles (1) 148
Automotive fluids, extended aging of ethylene/acrylic elastomers in (abs-F93#97) (1) 189
Automotive industry, influence on elastomer supply industry (abs-S94#36) (4) 736

B.E.T. Surface Area Analyzer, for measuring ground rubber (abs-S94#23) (4) 733
Belt compounds, overview of various elastomers used (abs-F93#67) (1) 183
Benzothiazyl-2-dicyclohexyl sulfenamide (DCBS), for compounding without toxicological harm (abs-F93#12) (1) 171
Biomedical applications, of elastomers (review) (3) 417
Bis(diisopropyl)thiophosphoryl disulfide, for effective utilization of silica (4) 672
Bis(ethylenediamine) cupric sulfate, as antioxidant for silicone elastomers (abs-S94#45) (4) 739
Black-filled NR, effect of process oil on elastic constant C_1 (abs-S94#52) (4) 740
Blend, of silicone and EPDM rubbers, compatibilized *in situ* (1) 119
Blends, of crystallizable BR with amorphous BR block copolymers (2) 342
Blends, of EPDM and BR, effect of AAHR compatibilizers on (abs-S94#54) (4) 741
Blends, of various polymers, compounding for oil resistance (abs-F93#154) (1) 203
Book Review: "Plastics—Microstructure & Engineering Applications," 2nd ed, N. J. Mills (2) G25
Book Review: "Mechanical Properties of Solid Polymers," 3rd ed., I. M. Ward and D. W. Hadley (1) G9
Book Review: "Organic Coatings: Science and Technology. Vol. 2: Applications, Properties, and Performance," Z. W. Wicks, F. N. Jones, and S. P. Pappas (1) G9
Book Review: "Physical Properties of Polymers," 2nd ed., J. E. Mark, *et al.* (3) G61
Book Review: "Science and Technology of Rubber," 2nd ed., J. E. Mark, B. Erman, and F. R. Eirich (4) G70

* Prepared by Lois W. Brock.

BR and SBR, enhanced oxidation rate in aqueous environments (5) 775
BR, blends of crystallizable and amorphous diblock copolymers (2) 342
BR, production in China (abs-F93#78) (1) 185
BR, stereoregular and stereoirregular, ultimate properties (1) 88
Brass adhesion, mechanism of silica improvement (abs-S94#38) (4) 737
Brazil, rubber industry in the 90s (abs-F93#47) (1) 179
Breaking energy and abradability of elastomers (NR, SBR, HNBR), relationship (1) 129
Bulk modulus, measured by confined compression test (5) 871

Cable, of EVM, with lower smoke and toxicity hazards (abs-S94#55) (4) 741
Carbon black, HAF, effect on thermal crosslinking of polyacrylic acid and ENR (5) 845
Carbenes, stable transition metal, as catalysts for degradation analysis of rubbers (5) 786
Carbon atom organization and correlation with surface microstructure of carbon blacks (1) 27
Carbon black aggregates, packing density and cohesivity and their relation to morphology (1) 17
Carbon black, 3D morphological characterization of aggregates using electron microscopy (2) 280
Carbon black, certification under ISO 9002 (abs-F93#135) (1) 200
Carbon black, dispersion in various polymers, kinetics of (2) 237
Carbon black, from tire char (abs-F93#4) (1) 170
Carbon black, influence of dispersion on physical properties of stock (abs-F93#158) (1) 205
Carbon black, morphological investigation of particles by atomic force microscopy (1) 148
Carbon black, oxidized, crosslinker for CSM (4) 662
Carbon black, transport developments (abs-F93#159) (1) 205
Carbon-black filled rubber, shear flow properties (2) 207
Carbon-black filled rubber, correlating properties of precipitated silica with performance (2) 217
Chemix® computer-aided compound management system, with Weighing Scale Option (abs-F93#109) (1) 192
China, production and applications of NR (abs-F93#132) (1) 199
China, production technology of BR in (abs-F93#78) (1) 185
Chloramine disinfectants, effects on elastomer degradation (abs-F93#83) (1) 186
Clean Air Act, impact on rubber industry (abs-F93#75) (1) 185
Clean Air Act, managing data to comply with (abs-F93#91) (1) 188
Clean Air Act, use of biofilters to treat VOCs for compliance with (abs-F93#92) (1) 188
Cleanup strategies, to minimize costs of compliance (abs-F93#116) (1) 194
Coil coating, waste minimization during (abs-F93#115) (1) 194
Compatibilization, of nylon 6/isobutylene methylstyrene elastomer and rheological studies (abs-S94#56) (4) 742
Compatibilizer (aliphatic and aromatic hydrocarbon resins), effect on EPDM/BR blends (abs-S94#54) (4) 741
Compatibilizers (EMA, EVA, and VMX), for blending silicone and EPDM rubbers (1) 119
Competitive intelligence, for anticipating technological environment (abs-F93#111) (1) 193
Compliance, with environmental regulations (abs-F93#76) (1) 185
Compression, of elastomer button in metal fixture, for determining bulk modulus (5) 871
Compression, of rubber blocks (review) (3) 549
Computer aided design, for correlating vulcanizate properties (4) 687
Computer control, of internal mixing of EPDM compounds (abs-S94#37) (4) 737
Computer modelling, for predicting tire inflation pressure retention (abs-S94#40) (4) 737
Cord–rubber composites, in aircraft tires, fatigue failure (5) 761
Correlation, of silica properties and rubber performance, with carbon black filler (2) 217
Creep/recovery behavior, of asphalt modified with ground tire scrap (abs-F93#43) (1) 178
CRM (crumb rubber modifiers), use in asphaltic materials (abs-S94#26) (4) 734
Crosslink density, of NR and SBR, determining with Rubber Process Analyzer 2000 (5) 854
Crosslink structure, effect on fatigue crack growth under various aging conditions (4) 649
Cryogenic recycling, of scrap tires (abs-F93#9 and 9a) (1) 170-1
CSM (chlorosulfonated polyethylene), crosslinked by oxidized carbon black (4) 662
Cure behavior, of SBR with ground vulcanizates, decrease in scorch time and maximum torque (4) 636
Cure system, with higher thermal stability (abs-F93#80) (1) 185
Cure systems, for NR, without generation of N-nitrosamines (abs-F93#106) (1) 192
Curemeter (MDR rotorless) for measuring cure and scorch (abs-F93#98) (1) 190
Curing kinetics, in reduced time by use of master curves (2) 314
Curing, of rubber-to-metal bonds, study with moving die rheometer (abs-F93#122) (1) 196
Cutting resistance, influence of temperature and cutting speed in SBR (4) 610

Degradation, metathetic, of rubbers using transition metal carbene catalysts (5) 786
Degradation, of rubber and considerations to help museums display it (abs-S94#35) (4) 736
Degradation, oxidative and thermal, of NR seismic isolators (abs-F93#95) (1) 189
Dendinger, Thomas J., Rubber Division Chairman, 1994, biog. (1) G2
Devulcanization, methods (review) (3) 559
Dielectric relaxation spectroscopy, for studying curing kinetics of polyurethane (abs-F93#37) (1) 177

Dielectric relaxation spectroscopy, for studying curing kinetics of polyurethane (abs-F93#36) (1) 177
Dielectrical properties, of silicone elastomers containing synthetic silicas (abs-S94#46) (4) 739
Diimide-hydrogenation of SBR and BR, for creating latex film (2) 288
DIN ISO 9001, basis of quality system for German distributor of chemicals (abs-F93#134) (1) 199
Dispersion morphology, of silica in rubber (4) 693
Dispersion, of carbon black in rubber, kinetics in various polymers (2) 237
Dispersion, of carbon black, influence on abrasion and treadwear (abs-F93#158) (1) 205
Dispersion, of precipitated silica, influence on mechanical properties (abs-F93#162) (1) 205
Double networks, modulus at mechanical equilibrium (2) 359
Drucker stability, in experimentally determined energy density function (5) 904
Dynamic creep, relation to gross failure in aircraft tire cord–rubber composite (5) 761
Dynamic mechanical thermal analysis, for studying curing kinetics of polyurethane (abs-F93#36) (1) 177
Dynamic test methods, for elastomers (abs-F93#35) (1) 177

Earthquake protection, of buildings by use of NR to isolate base (abs-F93#131) (1) 198
Elastic behavior, methods for characterizing for use in finite element analysis (review) (3) 481
Elastic constant C_1, of black-filled NR, as affected by process oil (abs-S94#52) (4) 740
Elastohydrodynamic mode of lubrication, in flexible faced rubber seals (1) 42
Elastomer supply industry, dependence on automotive industry (abs-S94#36) (4) 736
Elastomeric mechanical capacitors, for torpedo ejection system (5) 892
Electrical resistivity, of elastomers, effect of mold pressure on (1) 107
Energy, of puncture, determining with sharp and blunt indentors (5) 743
Engineering, with black-filled rubber, stress–strain relations (4) 716
ENR (epoxidized NR), crosslinked with polyacrylic acid in presence of HAF black (5) 845
Environment, government mandates concerning and RMA role in (abs-F93#118) (1) 195
Environmental compliance, business approach in cleanup (abs-F93#116) (1) 194
Environmental impact, of fuel hoses, the quest for zero emission (abs-F93#13) (1) 172
Environmental management (abs-F93#74) (1) 185
Environmental safety, through responsible care management (abs-F93#117) (1) 195
EPDM rubber, granular, made in gas phase (abs-F93#156) (1) 204
EPDM, blends with NR, crosslink density of EPDM as indication of curative migration (abs-F93#128) (1) 198
EPDM, computer control of mixing (abs-S94#37) (4) 737
EPDM, quality control studied by MLR (abs-S94#4) (4) 729
EPDM, resistant to extrusion at 175°C (abs-F93#85) (1) 186
EPDM/BR blends, effect of compatibilizer on (abs-S94#54) (4) 741
EPM and EPDM, improving properties of with coagents (abs-S94#48) (4) 739
Epoxidation, of IR, method for unsaturation measurement (2) 329
Ethylene/acrylic elastomers, extended aging in automotive fluids (abs-F93#97) (1) 189
Eucommia ulmoide gums, controlling crosslinking for high elasticity (abs-F93#60) (1) 181
EVM (ethylene vinylacetate elastomers), for environmentally friendly cable (abs-S94#55) (4) 741
Explosive decompression failure, of elastomers (review)(3) 384
Extruder performance, die head developments for improving (abs-F93#27-28) (1) 175
Extruders, cold feed, importance of good screw technology (abs-F93#27) (1) 175
Extrusion, concentric over rubber core, balance flow control device for (abs-F93#28) (1) 175
Extrusion, of EPDM at 175°C (abs-F93#85) (1) 186

Farming, use of rubber in (abs-S94#18 (4) 731
Fatigue and heat build-up, nonlinear mathematical equations for comparing test results (abs-F93#82) (1) 185
Fatigue crack growth, effects of temperature in elastomers (NR, BIIR) (1) 137
Fatigue crack growth, of NR vulcanizates with various aging conditions (4) 649
Fatigue resistance, in BR rubbers (abs-F93#62) (1) 181
Fatigue, mechcanochemical reaction of vulcanizates during (abs-S94#41) (4) 738
Fatigue, of cord–rubber composites in aircraft tires (5) 761
Fatigue, of rubber, molecular aspects (review) (3) 529
Filler-loaded rubbers, universal properties (1) 1
Finite element analysis, rubber models used in (review) (3) 481
FKM (Fluoroelastomer terpolymer), adhesion to GECO using PBT (abs-S94#49) (4) 740
FKM (fluoroelastomers), recycled, used with virgin FKM to lower costs (abs-F93#42) (1) 178
FKM Elastomer, influence of storage on vulcametric and rheovulcametric behavior (abs-F93#22) (1) 174
Flooded cell permeation test, for elastomers (abs-F93#31) (1) 176
Flow visualization, of materials in an internal mixer with intermeshing rotors (5) 880
Fluoroelastomer, new model Mooney viscometer for quality control in (abs-F93#34) (1) 176
Fluoroelastomer, with improved processing and good chemical resistance (abs-F93#114) (1) 194
Fracture mechanics, in elastomers (3) G50
Fracture, in power steering hose material, effects of aging during testing (abs-S94#33) (4) 735

Fracture, of chlorinated and chlorosulfonated polyethylenes, effects of aging (4) 619
Fracture, of rubber, molecular aspects (review) (3) 529
Friction coefficient, in mechanical seals with rotating elastomeric element, measuring (1) 62
Friction force, relation to adhesion force between vulcanizate and slider (5) 797
FTIR (Fourier Transform Infrared Spectrometry), for studying curing kinetics of polyurethane (abs-F93#36) (1) 177
Fuel hoses, developments to meet environmental needs (abs-F93#13) (1) 172
Fumes, from vulcanization, laboratory study (abs-F93#10) (1) 171
Fumes, from vulcanization, assessing environmental impact (abs-F93#11) (1) 171

GC/MS analysis, of styrene emission from SBR dryers (abs-S94#8) (4) 730
GECO (epichlorhudrin terpolymer), adhesion to FKM using PBT (abs-S94#49) (4) 740
Glass bead reinforcement, of ionic polyurethane, effect of particle size (abs-F93#87) (1) 187
Glass transition, of covalently crosslinked polyurethane, effect of tensile stress (abs-F93#90) (1) 187
Granules, from cryogenic tire recycling, commercial opportunities (abs-F93#152) (1) 203
Gregory's hypothesis, for stored energy function, using measured stress–strain (4) 716
Ground rubber, measuring surface area (abs-S94#23) (4) 733
Ground rubber, new market trends (abs-F93#3) (1) 169

Halobutyl rubbers, in liners protecting power stations from corrosion (abs-F93#23) (1) 174
Halogenation, of NRTPE sufaces, to decrease friction (4) 582
Hexagon-linking model, for dispersion morphology of silica in rubber (4) 693
HNBR (Hydrogenated nitrile–butadiene rubber), improving low temperature flexibility (abs-S94#7) (4) 730
HNBR elastomer, for use with hydrofluorocarbon refrigerant (abs-F93#63) (1) 182
HNBR, for use in tank truck pads (abs-S94#9) (4) 730
HNBR, improving compatibility with silicone rubber (abs-F93#145) (1) 202
HNBR, in industrial roll covers, compounding variables for (abs-F93#69) (1) 183
HNBR, new benchmark for performance of belting in automobiles (abs-F93#67) (1) 183
Hose, power steering, effect of aging during impulse testing (abs-S94#33) (4) 735
HSBR (Hydrogenated SBR), preparation in latex form using diimide (2) 288

IIRs, measurement of unsaturation by iodine index (4) 567
Injection molding simulation of process with special capillary rheometer (abs-F93#29) (1) 176
Injection molding, computer controlled, representation and supervision possibilities (abs-F93#24) (1) 174
Innovation, key factors (abs-F93#111) (1) 193
Iodine index, for measuring unsaturtion of butyl rubbers (4) 567
IR, crystalline 3,4-, prepared with special iron catalyst (5) 865
Iron acetylacetonate-electron donor-Al(i-Bu)$_3$, for preparing crystalline 3-4 polyisoprene (5) 865
ISO 9000, a global quality standard (abs-F93#133) (1) 199
ISO 9000, benefits for a quality program (abs-F93#137) (1) 200
ISO 9000, guide to proper statistical process control (abs-S94#29) (4) 734
ISO 9000, use in certification of styrene (abs-F93#136) (1) 200
ISO 9002, implementation in a carbon black plant (abs-F93#135) (1) 200
Isobutylene/*para*-methylstyrene copolymer, brominated, in tire sidewalls (abs-F93#50) (1) 180
Isobutylene/*para*-methylstyrene copolymer, acrylate ester modification (abs-F93#84) (1) 186

Koenig, Jack L., recipient of George Stafford Whitby Award, 1994 (3) G44

Latex cast films, from diimide-hydrogenated SBR and BR TPEs (2) 288
Latin America, technical sales service (abs-F93#46) (1) 179
Latin America, technical sales service (abs-F93#47) (1) 179
Latin American debt (abs-F93#45) (1) 178
Linings, soft rubber, for corrosion protection of flue gas desulfurization (abs-F93#23) (1) 174

Mark, Herman F., biography, International Rubber Science Hall of Fame Inductee, 1993 (2) G27
Marketing, in Mexico (abs-F93#44) (1) 178
Master curves, from nonisothermal data, for curing kinetics (2) 314
Master curves, viscoelastic, from tensile stress–strain data (abs-S94#13) (4) 731
Mechanical seal, with elastomers (EPDM, HNBR, FKM, TPE/P) in contact with silicon carbide (1) 62
Mechanical shaft seals, flexible faced, theory of operation (1) 42
Mercuric acetate, role in iodine index for unsaturation (4) 567
Metal dithiocarbamates, reactivity towards vulcanization of model olefins (2) 263
Mexico, rubber industry and NAFTA (abs-F93#48) (1) 179
Microstructure, of BR, and relation to fracture resistance (abs-F93062) (1) 181
Miscibility, of polyepichlorohydrin/poly(vinylmethylether) blends, using ^{129}Xe NMR (4) 629
Mixer, internal, with intermeshing rotors, for better flow (5) 880

Mixers, batch and continuous, efficiency in (review) (3) 504
Mixers, internal, with variable intermeshing clearance (abs-F93#21) (1) 173
Mixing of rubber, relation to viscoelasticity (abs-S94#13) (4) 731
Mixing room equipment, importance for increasing output and quality (abs-F93#155) (1) 204
Mixing, internal, outlook for the plastics and rubber industry (abs-F93#20) (1) 173
Mixing, of SBR, effect of mastication and disagglomeration (4) 700EB (MLR) Mooney relaxation, applied to quality control of elastomers (abs-S94#4) (4) 729
Model olefins, characterization and reactivity of intermediate vulcanization products (2) 252
Model olefins, in study of sulfur vulcanization (2) 263
Models, large strain viscoelastic constitutive (5) 904
Mold pressure, effect on electrical resistivity of elastomers (1) 107
Molding, of silicone rubber, increasing profitability (abs-F93#112) (1) 193
Mooney viscometer, new model for fluoroelastomer quality control (abs-F93#34) (1) 176
MSOS (Maleated styrene-olefin-styrene block polymer), compatibilizer for polymeric blends (abs-F93#165) (1) 206
Museums, problems in exhibiting rubber articles (abs-S94#35) (4) 736

N,N′-*m*-phenylene dimaleimide (HVA-2), as coagent in curing NBR (abs-F93#123) (1) 196
N-nitrosamines, cure system for NR avoiding or preventing formation of (abs-F93#106) (1) 192
N-*t*-butyl-2-benzothiazole sulfenamide, mechanism of action in sulfur vulcanization of IR (2) 348
NAFTA, effect on Mexican rubber industry (abs-F93#48) (1) 179
NBR, studies of coagents in peroxy cured vulcanizates (abs-F93#123) (1) 196
Nitrosamine, carcinogenic, preventing formation during vulcanization (abs-F93#19) (1) 173
Nitrosamine, factors affecting formation during vulcanization (abs-F93#17) (1) 172
Nitrosamines, minimizing by use of sterically hindered thiuram disulfide/dithiocarbamates (2) 299
Nitrosamines, reducing in rubber curing (abs-F93#113) (1) 193
Nitrosamines, risk management in use of (abs-F93#16) (1) 172
Nitrosamines, theoretical model for determining which additives might prove toxic (abs-F93#124) (1) 197
NMP (2-nitro-2-methyl-1-propanol), adhesive performance in steel and fabric reinforcement (abs-F93#157) (1) 204
NR, advances in production (review) (3) 527
NR, as a renewable, environmentally acceptable resource (abs-F93#104) (1) 191
NR, effect of alkylation of silica filler on reinforcement (5) 834
NR, prediction for production and consumption (abs-F93#103) (1) 191
NR, research on new forms (abs-F93#103) (1) 191
NRTPE, effect of surface treatment by halogenation on friction and adhesion (4) 582
Nylon 6/isobutylene methylstyrene elastomers, compatibilization (abs-S94#56) (4) 742

Optimizing tread stock containing precipitated silica (abs-S94#19) (4) 732
Oxidation rate, of BR and SBR, enhanced through aqueous environment (5) 775
Ozone, effects on random and block SBR copolymers (abs-F93#99) (1) 190

Particle size, of Ziegler–Natta catalyst, and effect on polydienes (abs-F93#064) (1) 182
PBT (tetrabutylphosphonium-benzotriazorate), for adhesion of FKM and NBR/PVC (abs-S94#49) (4) 740
PDMS (poly-dimethylsiloxane]), with precipitated silica-titania mixed-oxide filler (5) 806
PDMS, rheology of silica-filled (5) 820
Permeation testing, of elastomers by flooded radian test cell (abs-F93#31) (1) 176
Peroxide formulations, scorch-resistant, for improved productivity in crosslinking (abs-F93#119) (1) 195
Peroxide–sulfur curing system for rubber (abs-F93#126) (1) 197
Plasma treatment, of short fibers for composite with rubber (abs-F93#140) (1) 201
Pneumatic stress induced rupture, of elastomers (review) (3) 384
Poly(isobutylene-*co*-*para*-methylstyrene), brominated, curative with benzyl bromide function (abs-F93#86) (1) 186
Poly(isobutylene-*co*-*para*-methylstyrene), brominated, for tire curing bladders (abs-F93#55) (1) 180
Poly-*p*dinitrosobenzene, to eliminate change in resistivity at high molding pressure (1) 107
Polyacrylic acid, filled with HAF, and epoxidized NR blends, thermal crosslinking between (5) 845
Polychloroprene, in liners protecting power stations from corrosion (abs-F93#23) (1) 174
Polyepichlorohydrin blend with poly(vinylmethylether), studying miscibility (4) 629
Polyethylene, chlorinated and chlorosulfonated, effect of aging in fracture test (4) 619
Polyisoprene, mechanism of accelerated sulfur vulcanization using TBBS and TBSI (2) 348
EBPolyurethane elastomer, glass transition as a function of water content (abs-F93#25) (1) 175
Polyurethane rubber, a new generation (abs-S94#42) (4) 738
Polyurethane, covalently crosslinked, effect of compressive stress on glass transition (abs-F93#90) (1) 187
Polyurethane, covalently crosslinked, effect of deformation on relaxation (abs-F93#11) (1) 190
Polyurethane, curing kinetics (abs-F93#36) (1) 177

Polyurethane, glass reinforced, effect of glass bead size on mechanical properties (abs-F93#87) (1) 187
PP, toughened with ground rubber scrap (abs-F93#40) (1) 171
Precipitation, of silica-titania mixed-oxide fillers into PDMS networks (5) 806
Precuring, of tire components to reduce weight (abs-S94#20) (4) 732
Process oil, and its effect on elastic constant C_1 of black-filled NR (abs-S94#52) (4) 740
Processability indicators, from stress relaxation data (abs-S94#11) (4) 731
Pulverizing process, for scrap tire recovery (abs-S94#24) (4) 733
Puncture mechanics, of rubber, based on biaxial stretching of rubber by inflation (5) 743
PVC, toughened with ground rubber scrap (abs-F93#40) (1) 171

Quality auditing, concepts and principles (abs-F93#138) (1) 200
Quality control, experience with using DIN ISO 9001 (abs-F93#134) (1) 199
Quality control, ISO 9000 as basis for a reliable system (abs-F93#133) (1) 199
Quality control, of elastomers, by Mooney relaxation (abs-S94#04) (4) 729
Quality management tools, three-dimensional model for (abs-F93#139) (1) 200
Quality management, in small organizations (abs-S94#28) (4) 734
Quality, as affected by mixing room design (abs-F93#26) (1) 175

Raman spectroscopy, used in analysis of NR (abs-F93#105) (1) 191
Rayon cord, constitutive model for reinforcing rubber in the range of middle strain rate (abs-F93#143) (1) 201
Reclaimed rubber, usage and trends (abs-F93#2) (1) 169
Recycled rubber, from buffing shoe soles, as low cost toughener for plastics (abs-F93#40) (1) 171
Recycling, of automotive polymers, role of thermoplastic elastomers (abs-F93#8) (1) 170
Refrigerant 134-a (hydrofluorocarbon), using HNBR elastomer with (abs-F93#63) (1) 182
Reinforcement, in filler-loaded rubber, role of intracluster chains (1) 1
Reinforcement, of NR and SBR, with silica, effect of surface modification (5) 834
Relaxation, of covalently crosslinked polyurethane, effect of deformation (abs-F93#101) (1) 190
RFL-adhesive layers, in cord/rubber composites, mechanical properties of (abs-F93#142) (1) 201
Rheological properties, of asphalt modified with ground tire scrap (abs-F93#37) (1) 177
Rheological studies, of polymer blends (abs-S94#56) (4) 742
Rheology, of silica-filled PDMS (5) 820
Rheometer, capillary, in simulation of injection molding process (abs-F93#29) (1) 176
Rheometer, moving die, for studying cure of rubber-to-metal bonding agent (abs-F93#122) (1) 196
Roll covers, compounding HNBR for (abs-F93#69) (1) 183
RPA (Rubber Process Analyzer), for measuring cure and scorch (abs-F93#98) (1) 190
RPA 200 (Rubber Process Analyzer), for determining crosslink density of NR and SBR (5) 854
RPA 200 (Rubber Process Analyzer), for characterizing applied strain variations in rubber (abs-S94#5) (4) 729
RPR (Reactively Processable Rubber), compatibilizer for polymeric blends (abs-F93#165) (1) 206
Rubber blocks, compression of (review) (3) 549
Rubber Division, ACS, Best Paper Awards, Spring 1993 (1) G5
Rubber Division, ACS, Best Paper Awards, Fall 1993 (4) G66
Rubber Division, ACS, Charles Goodyear Medalist, 1994, Alan G. Thomas (3) G48
Rubber Division, ACS, George Stafford Whitby Award, 1994, to Jack L. Koenig (3) G44
Rubber Division, ACS, Guide for Authors (3) G37
Rubber Division, ACS, Library and Information Services (1) G6, (3) G34
Rubber Division, ACS, Melvin Mooney Distinguished Technology Award, 1994, to Noboru Tokita (3) G46
Rubber Division, ACS, Policy on technical papers presented at Rubber Division Meetings (1) G8; (3) G36
Rubber Division, ACS, Program for 1994 Fall Meeting (5) G74
Rubber Division, ACS, Program for 1994 Spring Meeting (2) G12
Rubber Manufacturers Association, role in combating government mandates on environment (abs-F93#118) (1) 195
Rubber mechanical behavior, review of methods to characterize in FEA (review)(3) 481
Rubber mounts, correlation parameter for estimating performance (abs-F93#82) (1) 185
Rubber–metal bonds, importance of surface energy measurements in study of (abs-S94#50) (4) 740
Rubber/cord composites, with RFL-adhesive layers (abs-F93#142) (1) 201
Rubber/fiber composite, use of plasma to improve grafting (abs-F93#140) (1) 201
Rubber/fiber composite, using fibrillated short aramid fibers (abs-F93#141) (1) 201
Rupture, in elastomers, induced by pneumatic stress (review)(3) 384

SB-IIR (star branched butyl rubber, quality control studied by MLR (abs-S94#4) (4) 729
SBR, block and random, ozone exposure effects (abs-F93#99) (1) 190
SBR, effect of alkylation of silica filler on reinforcement (5) 834
SBR, oil-extended, stress relaxation data for indicating processability (abs-S94#11) (4) 731

SBR, viscoelastic effects during cutting and tearing (4) 610
SBR, viscosity reduction caused by disagglomeration during mixing (4) 700
SBR, with ground vulcanizates, modification of cure behavior (4) 636
Scorch and cure characteristics, measured with rotorless curemeter and RPA (abs-F93#98) (1) 190
Scorch, relation to cure time (abs-F93#120) (1) 196
Scorch-resistant peroxide formulations, for crosslinking elastomers at higher productivity (abs-F93#119) (1) 195
Scrap rubber, surface modification through oxidation in aqueous environment (5) 775
Scrap rubber, European efforts in recycling (abs-F93#9a) (1) 171
Scrap rubber, surface modification to form novel composites (abs-S94#25) (4) 733
Scrap tire utilization, for asphalt paving using crumb rubber modifiers (abs-S94#26) (4) 734
Scrap tires, cryogenic recycling (abs-F93#09) (1) 170
Scrap tires, pulverizing for reuse (abs-S94#24) (4) 733
Scrap tires, recycling (abs-S94#21-22) (4) 732
Scrap tires, review of main markets (abs-F93#5) (1) 170
Seals and gaskets, of ethylene/acrylic elastomers, extended aging studies (abs-F93#97) (1) 189
Seals, dynamic, aqueous adhesives for (abs-S94#43) (4) 738
Seals, for oil service, of NBR reinforced with carbon black/graphite mixtures (abs-F93#144) (1) 202
Seismic isolators, predicting long-term durability (abs-F93#95-96) (1) 189
Seismic-resistant engineering, using NR for base isolation (abs-F93#131) (1) 198
Shear flow, steady-state, of carbon-black filled rubber (2) 207
Shear loss modulus and abradability of elastomers (NR, SBR, HNBR), universal relationship (1) 129
Shear modulu, in-plane, of unidirectional cord–rubber composites (abs-S94#53) (4) 741
Shoe soling, elastomeric, performance of (abs-F93#151) (1) 203
Silica agglomerates, penetration of silicone polymers into and influence on dispersion (4) 602
Silica filler, alkylated, effect on reinforcement of NR and SBR (5) 834
Silica, dispersion morphology in rubber (4) 693
Silica, effect on bond fatigue life in rubber-brass bonds (abs-S94#38) (4) 737
Silica, effective use of with reactive compounds (4) 672
Silica, fumed, effect as filler on rheology of PDMS (5) 820
Silica, precipitated, in carbon-black filled rubber, correlating performance (2) 217
Silica, precipitated, in tire sidewalls, effect of carbon black and polymer types (abs-S94#32) (4) 735
Silica, precipitated, in farm tires (abs-S94#19) (4) 732
Silica, synthetic, influence on dielectrical properties of HTV-silicone elastomers (abs-S94#46) (4) 739
Silica-titania mixed oxides, precipitated *in situ*, into PDMS networks (5) 806
Silicas, precipitated, dispersibility measurement (abs-F93#162) (1) 205
Silicone and EPDM rubbers, compatibilized *in situ* for blending (1) 119
Silicone elastomers, addition cured, antioxidant for (abs-S94#45) (4) 739
Silicone polymers, penetration into silica agglomerates and influence on dispersion (4) 602
Silicone rubber, continuous improvement program in compounding (abs-F93#89) (1) 187
Silicone rubber, HTV, influence of synthetic silicas on dielectrical properties (abs-S94#46) (4) 739
Silicone rubber, improving compatibility with HNBR (abs-F93#145) (1) 202
Silicone rubber, molding, increasing profitability (abs-F93#112) (1) 193
Small angle neutron scattering, application to elastomers (review) (3) 367
Snow performance, of all-season tires, multivariate analysis (abs-F93#57) (1) 181
Solubility parameter equations, in study of service temperature range of HNBR (abs-S94#7) (4) 730
Sporting and recreational goods, using elastomers (abs-F93#146) (1) 202
Sporting goods, from thermoplastic elastomers, human design considerations (abs-F93#147) (1) 203
Sports surfaces, resilient, incorporating elastomeric granules (abs-F93#150) (1) 203
Statistical process control, and ISO certification (abs-S94#29) (4) 734
Statistical process control, continuing importance (abs-S94#27) (4) 734
STM (Scanning tunneling microscopy), for imaging miscrostructure of carbonaceous materials (1) 27
Storage conditions, effect on rheovulcametric properties of FKM Elastomers (abs-F93#22) (1) 174
Strain variations, studied with Rubber Process Analyzer (abs-S94#5) (4) 729
Stress–strain relations, for characterizing black-filled rubber for engineering uses (4) 716
Styrene emission, from SBR dryers, estimating with GC/MS (abs-S94#8) (4) 730
Supplier role, in responsible environmental management (abs-F93#117) (1) 195
Surface area, of ground rubber, measured with B.E.T. Analyzer (abs-S94#23) (4) 733
Surface energy measurements, as applied to studies of rubber-to-metal bonding (abs-S94#50) (4) 740
Surface free energy, of vulcanizates, and relation to coefficient of friction (5) 797
Surface modification, of scrap rubber for use as high value products (abs-S94#25) (4) 733

Tank truck pads, of HNBR (abs-S94#9 (4) 730
Tear strength, differing results in different countries (abs-F93#70) (1) 183

Technical sales service, in Latin America (abs-F93#46) (1) 179
Tensile elongation, differing results in different countries (abs-F93#70) (1) 183
Tensile failure, of 1,2-butadiene/*trans*1,4-polybutadiene crystalline blend (2) 342
Test results, comparing results from different sources (abs-F93#70) (1) 183
Tetrakis(2-ethylhexyl)thiuramdisulfide, accelerator with higher thermal stability (abs-F93#80) (1) 185
Thermal extraction GC/MS, for estimating styrene emission from SBR dryers (abs-S94#8) (4) 730
Thermoplastic elastomers, role in automotive recycling (abs-F93#8) (1) 170
Thiophosphates, accelerators which do not contribute to nitrosamine formation (abs-F93#125) (1) 197
Thiuram disulfides/dithiocarbamates, sterically hindered, for minimizing nitrosamines (2) 299
Thixon 7000 aqueous adhesives for dynamic seals (abs-S94#43) (4) 738
Thomas, Alan G., recipient of Charles Goodyear Medal, 1994 (3) G48
Tire components, precuring to reduce weight and cost (abs-S94#20) (4) 732
Tire curing bladders, longer lasting, from brominated poly(isobutylene-*co*-*p*methylstyrene) (abs-F93#55) (1) 180
Tire inflation pressure, computer modelling of retention of (abs-S94#40) (4) 737
Tire materials, through 2000 (abs-F93#58) (1) 181
Tire scrap, coprocessed with coal to give processing oils (abs-F93#41) (1) 178
Tire scrap, ground, for modifying asphalt (abs-F93#43) (1) 178
Tire scrap, in asphalt (abs-F93#37) (1) 177
Tire sidewalls, from brominated poly(isobutylene-*co*-*para*-methylstyrene) (abs-F93#86) (1) 186
Tire sidewalls, with brominated isobutylene based copolymer (abs-F93#50) (1) 180
Tire sidewalls, with precipitated silica, effects of carbon black and polymer types (abs-S94#32) (4) 735
Tires, aircraft, fatigue of cord–rubber composite (5) 761
Tires, all-season, multivariate analysis of performance in snow (abs-F93#57) (1) 181
Tires, determining metathetic degradation and microstructure using metal carbene catalysts (5) 786
Tires, pulverizing of scrap (abs-S94#24) (4) 733
Tires, recycling of scrap (abs-S94#21) (4) 732
Tires, recycling of scrap as a compounding enhancement (abs-S94#22) (4) 732
Tokita, Noboru, recipient of Melvin Mooney Distinguished Technology Award, 1994 (3) G46
Torpedo ejection system, using elastomeric mechanical capacitor (5) 892
Toxicological effects of nitrosamine-generating accelerators (abs-F93#12) (1) 171
TPE, in latex form, using diimide hydrogenation (2) 288
Trans-isoprene units, in NR (1) 159
Tread, of farm tires, nondestructive testing (abs-S94#19) (4) 732
Truck tire belt skims, effect of cure state and crosslink nature on fatigue crack growth (1) 137
Truck tires, super single, with *p*aramid fibers (abs-F93#53) (1) 180

Ultimate strength, of stereoregular and stereoirregular BR (1) 88
Unsaturation, in IR, measuring by epoxidation (2) 329
Urepan, polyturethane rubber (abs-S94#42) (4) 738

Vinyl 1,2-polybutadiene, as coagent in peroxide cured EPM and EPDM (abs-S94#48) (4) 739
Viscoelastic effects, in cutting and tearing of high-styrene SBR (4) 610
Viscoelastic models, large strain (5) 904
Viscosity, of SBR, changes during mixing (4) 700
VITON GFLT, fluoroelastomer with exceptional fluid and permeation resistance (abs-F93#114) (1) 194
Volatile organic carbon (VOC) in air streams, controlling with biofilters (abs-F93#92) (1) 188
Vulcanizate properties, correlating with computer aided design (4) 687
Vulcanizates of NR, NR/BR, and NR/SBR, reactions during abrasion and fatigue (abs-S94#41) (4) 738
Vulcanization, of IR with *N*-*t*-butyl-2-benzothiazole sulfenamide, mechanism (2) 348
Vulcanization, study of airborne organic matter during (abs-F93#10) (1) 171

Weighing Scale Option, alternative to pre-weigh bags in Chemix compound management (abs-F93#109) (1) 192

Ziegler–Natta catalysts, for diene polymerization, new aspects (abs-F93#64) (1) 182
Zinc soaps, role in changing elastomer properties (abs-F93#121) (1) 196